


8845-000 Quickstart Guide

Last Updated: February 26, 2024


Contents

In the box	01
What you'll need	02
Installation	03
Configuration	04
Testing	05
Regulatory	06
Support	07

01 In the box







Secures the IoT Sensor and the backplate together



Nylon wall plugs


Used to brace the screws inside the wall



#6 x 1.5" Phillips sheetmetal screws

For mounting wall bracket

Mounting Plate



02 What you'll need

Cable Installation Note

Power requirements: 12 Volts DC +/- 5% and 250mA **at the endpoint** (IoT Sensor) is required.

We advise not only selection of the right gauge and power quality, but integrators should confirm the power delivery is sufficient by checking power at the endpoints. If existing cable is of higher gauge / lower capacity and cannot be replaced, Safetrust sensors are designed to operate at up to 24VDC.*

As a result, higher voltage at the power source is safe to use with IoT Sensors if the source and wiring implementation can safely support it and if it is compliant with local code.

* Safetrust recommends against using the same 24V power supply for both locks and IoT Sensors.

Power cable:

- 18/2 for distances < 500 ft.
- 16/2 for distances < 700 ft.
- For distances up to 1000', see Cable Installation Note above.

Data cable - Wiegand:

 Cable, 5-12 conductor, 4 conductor Twisted Pair Over-All Shield and UL approved (<500ft)


Data cable - OSDP:

- Belden 6381MD 1Pr 24AWG Shielded Data + 18/2 Power OSDP CMP or equivalent (<500Ft)
- Belden 6281MD 1Pr 22AWG Shielded Data + 16/2 Power OSDP CMP or equivalent (<700Ft)

Tools and Supplies:

- Drill with various bits for mounting hardware
- Additional tools and supplies as needed to connect sensor wires to associated system cable

03 Installation




For a wall mounted installation, begin by pre-drilling your holes and insert the nylon wall plugs provided to support the weight of the reader. Once secured, you can fix the backplate to the wall using the Phillips sheetmetal screws (#6 x 1.5") provided.






The next step is to connect the wires as per the wiring table above.

i




Once the backplate has been fitted and the wiring is complete, the IoT Sensor can be mounted to the wall as shown above.




Complete the hardware installation by fixing the screw (#6-32 x .375" Phillips flat head screw) through the base of the reader.

04 Configuration



Open the Safetrust Wallet App and select the Manage Sensor tab from the navigation. Make sure your system administrator has set you up with a role that has rights to configure a sensor.




With the Manage Sensor tab open, bring the phone in range of the IoT Sensor and once visible from the App, highlight and select the "Configure" button.

Confi	gure 💍 🗙
DENTITY SYSTEM	
Choose Identity System	Brisbane Discove >
SENSOR INFORMATION	
Туре	Door >
Name	East Entrance
Friendly Name	
Serial Number	0000079E00000001
Description	East main Door
Altitude	0
Tamper Detection	
Enable Universal Credential	
Device Output	
Media Output	Wiegand $>$
Auto-sense OSDP	
Second Media Output	None >
WIFI CONFIGURATION	
Configure WiFi	
Update Firmware Automatic	cally 🚺
WiFi Profile	None >

1:27	•	奈 78	
Cancel	Туре	Done	
Computer			
Door		~	
Door with relay			
Elevator			
Gate			
Printer		1:27	
Workstation	Cance		
Virtual Wallet	OSDF		
Meeting Space	Wieg	and	
	F2F		
	Clock and Data - Farpointe		
		_	

- 1. Choose an Identity System*.
- 2. Specify the Type of access from the dropdown (eg. Door, Gate etc.)
- 3. Assign a short Name and Description using alphanumeric characters.
- 4. Choose a Media Output for the sensor (the default is set to Wiegand).


*Note: Identity System must be previously created in the Safetrust Credential Manager portal by a system administrator.




When the IoT Sensor information is saved successfully to Credential Manager and assigned to the Identity System, the new name will appear in the Manage Sensor tab with a unique serial number assigned.

05 Testing

Access with cards





Access with Mobile – BLE





Access with Mobile – NFC





06

Regulatory Information

Safetrust Inc. | <u>safetrust.com</u> sales@safetrust.com **FCC:** This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Canada Radio Certification: This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

CE Marking: Safetrust hereby declares that these proximity readers are in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

07 Support

Thank you for purchasing the Safetrust IoT Sensor Mini Mullion.

If for any reason you need assistance with your installation, please contact your local Sales representative .

Sincerely -The Safetrust Team

www.safetrust.com/support